


# **Product Guide**

Issue 1.2

# If it matters to you secure it with us...





Home Safes	5	Safe Optional Extras	66
Primo Home	6		
Torino	7	Luxury & Design Safes	
Eurovault Aver S2	10	Lusso	70
Burton Home Grade 0	12	Brixia	72
Eurovault Aver Grade 0	13	Eurovault LX	74
Wall Safes	14		
Sotto Underfloor Safe	16	Safe Locks	76
High Security Safes	17		
Eurovault Aver Grades I-5	18	THE SURE DEFENCE	
Eurovault Atlas Grades 6-7	28	RANGE	<b>78</b>
Jewellery Accessories	32		
		Security Doors	
Fire Safes	33	Kronos	80
Firesec 4/60	34	Janus	83
Firesec 10/60	36		
Firebrand	38	Grilles & Bar Sets	86
Fire Resistant Filling Cabinets	40		
Data Safes	42	Strongrooms & Vaults	
		Orthrus	88
<b>Gun Cabinets</b>	44	Talos	90
Scout Gun Cabinet	45	Cerberus	92
Warden Gun Cabinet	46	Avertic	94
Hotel Safes	47	Safe Deposit Boxes	
Hotel Standard	48	Shanghai	96
Hotel Drawer	49	Vienna	98
Hotel Pop Up	50	Vaduz	100
Hotel Lambent	51	Zurich	102
Key Safes	52	Bespoke Security Solutions	103
Keyguard	53		
Heavy Duty Key Cabinets	56	Safe Lock Terminology	104
KS Key Cabinets	57		
Intelligent Key Management	58	Standards & Organisations	105
Retail Safes	59	Service	108
Till Safe	60		100
Cashguard	61	Delivery & Installation	109
Teller Deposit	62		
Eurovault Aver Grade   Deposit	64	Company Values	110
High Security Grades 2-3 Deposit	65		

**Burton Safes** is a specialist supplier of **Physical Security Solutions** including Safes, Strong Rooms, Security Doors and Access Control Systems. We cover the whole of the UK and have representation in parts of Europe, the Middle East, East Africa and Asia.

We have a large range of products available from stock and we also produce custom made solutions to order. We believe passionatley in having our products independently tested and certified to UK and European standards by internationally recognised institutions.

Burton Safes offer a minimum warranty of 2 years in respect of materials and workmanship. UK consumers benefit from an extended 5 year warranty and where the 'Safe for Longer' symbol is shown, a free replacement in the event of burglary and where applicable, a fire.\*

\*See the warranty section of our website for full terms and conditions





Unless otherwise stated all dimensions are in mm, in the order  $H \times W \times D$ . All weights and dimensions are approximate and are often rounded to the nearest 5 kg/mm. E & O E

The cash ratings given in this brochure are a guide. Some insurance companies may apply higher or lower ratings.



The flame symbol is **only** used on products that have been **independently tested and certi ied** as offering specific fire protection.

## **Home Safes**

Our Home Series are the perfect security furnishing for any residence. With products ranging from £10k jewellery rating to £60k jewellery rating there is something for every need. All safes from £40k valuables rating are certified by internationally recognised test houses and are validated in the UK by the Association of Insurance Surveyors, providing peace of mind when storing those treasured possessions.

Safe for Longer - The Burton home series provides consumers with a 5 year warranty and a FREE REPLACEMENT if the safe is damaged in the event of a burglary.\*

\*See the warranty section of our website for full terms and conditions

For those prized possessions Burton Safes are The Sure Defence®

For detailed explainations of standards see page 105 or visit our website for more information, www.burtonsafes.co.uk

## **Torino Eurokey**



£3,000



£30,000



HOME SAFES

# £1,000





**Primo Home Safe** 



Size 2



### **Features**

- Backlit keypad and interior
- Anti-bump, motorised locking
- 3-6 digit code
- Emergency override key
- Battery level indicator with low consumption motor
- Back and base fixing



**Features** 

- Locking via patented euro-profile
- Keys are easier to carry than traditional safe keys
- Have one key to operate your safe, your front door and your office
- Add your own euro-cylinder if preferred
- Removable shelf
- Back and base fixing

Model	External	Internal	Weight	Volume	Shelves
Size I	200 x 300 x 200	195 x 295 x 150	7kg	8L	-
Size 2	$250\times350\times250$	225 x 345 x 200	llkg	15L	1
Size 3	500 x 355 x 330	495 x 350 x 275	24kg	47L	2

Add 20mm to external depth for keypad

Model	External	Internal	Weight	Volume	Shelves
Size I	280 x 400 x 350	260 x 390 x 295	37kg	30L	I
Size 2	350 x 470 x 350	330 x 460 x 295	44kg	45L	1

Locking Options:



Entry level domestic safe with a clean functional design. Why not add a Stacker to protect your lewellery from scratches or, a light to see it all sparkle... See page 66 for more options



Locking Options:



Making life easy by having all your treasures under the same key. Change the colour to suit your décor or add an internal light to ease use... See page 66 for more options



## **Torino S2**

£4,000

CASI RATIN



Tried and tested security for the home! Add a stacker to avoid scratches to treasured items or, door contacts to integrate with your alarm system...See page 66 for more Options





## **Features**

- Independently attack tested and certified to EN14450 S2 by ICIM
- The best build quality and security level in its class
- Smart metallic black paint finish
- Flush fitting door and keypad make this safe ideal for use in bedroom cupboards
- Electronic locking options including flush keypad, emergency override key and external battery power point in case of lock out
- Removable shelf
- Back and base fixing

Model	External	Internal	Weight	Volume	Shelves
Size I	220 x 350 x 300	200 x 340 x 245	26kg	I6L	I
Size 2	280 x 400 x 350	260 x 390 x 295	37kg	30L	I
Size 3	350 x 470 x 350	330 x 460 x 295	44kg	45L	I
Size 4	490 x 430 x 400	470 x 420 x 345	62kg	68L	I





Size I



Size 2









## **Eurovault Aver S2**



£4,000



£40,000



One of the most popular safes in our range; perfect for home or office. Add a shelf to maximise storage or change your safe's colour to blend in at home. More information on page 66





## **Features**

- Independently tested and certified to EN14450 S2 by ECBS
- Ideal home, office, or change safe
- Option of key or electronic locking in all sizes
- Electronic lock features 1 master code and 9 user codes with dual user and time delay functions
- Removable shelf in sizes 1-3, height adjustable shelving in sizes 4-6
- Back and base fixing
- We also have an S2 Till safe featured on page 60

Model	External	Internal	Weight	Volume	Shelves
Size I	300 x 350 x 300	220 x 270 x 195	19kg	HL	I
Size 2	300 x 445 x 400	220 x 365 x 295	24kg	23L	1
Size 3	450 x 445 x 400	370 x 365 x 295	31kg	39L	I
Size 4	600 x 445 x 400	520 x 365 x 295	38kg	56L	2
Size 5	800 x 445 x 400	720 x 365 x 295	48kg	77L	2
Size 6	1000 x 445 x 400	920 x 365 x 295	58kg	99L	2

Add 12mm to external depth for keypad







Size 3













## **Burton Home Safe**



£6,000



£60,000



Have an automatic watch? Treat yourself to our watch winder and keep it safe and on time. See page 66 for more



#### **Features**



Size I

- Independently attack tested and certified to ENI143-I Grade 0 and ENI5659 LFS **30P** by ECBS
- High security electronic PIN code lock
- Electronic lock features I master code and 9 user codes with dual user and time delay functions
- Fixed shelving in size I & 2, height adjustable shelving in size 3
- Back and base fixing

Model	External	Internal	Weight	Volume	Shelves
Size I	300 x 400 x 300	215 x 320 x 165	65kg	IIL	I
Size 2	300 x 450 x 400	215 x 370 x 265	87kg	21L	I
Size 3	450 x 450 x 400	365 x 370 x 260	I I 8kg	34L	I

Add 12mm to external depth for keypad

#### Locking Options:









## **Eurovault Aver** Grade 0



£6,000



£60,000

000





## **Features**

- Independently attack tested and certified to ENII43-I Grade 0 by ECBS
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Option of left hand hinge\*
- Option of key or electronic locking
- Height adjustable shelving
- Back and base fixing
- \* Minimum order quantity 5pcs. Additional lead time and costs apply

Model	External	Internal	Weight	Volume	Shelves
Size I	460 x 440 x 380	375 x 360 x 240	113kg	32L	1
Size 2	670 x 440 x 380	585 x 360 x 240	153kg	50L	2
Size 3	900 x 440 x 380	815 x 360 x 240	196kg	70L	2

Add 12mm to external depth for keypad

## Locking Options:

Size 3











## **DK Wall Safe**



£4,000







Size 3

## **Features**

- Independently tested and certified to **EN I 4450 S2** by ICIM\*
- Easily concealed wall safe with flush facia
- Designed to be set in reinforced
- Option of high security key or electronic locking
- The electronic lock includes an emergency over ride key and external battery power point in case of lock out

<sup>\*</sup> Not size 1 & 2

Model	External	Internal	Weight	Volume	Shelves
Size I	210 x 270 x 150	185 x 245 x 100	10kg	5L	-
Size 2	210 x 340 x 150	185 x 315 x 100	13kg	6L	I
Size 3	270 x 390 x 200	245 x 365 x 150	20kg	13L	I
Size 4	340 × 460 × 200	315 x 435 x 150	26kg	21L	I

## Locking Options:









## **Unica Wall Safe**



£6,000



£60,000

BURTONBAFER ( ) ( )



## **Features**

- Independently tested and certified to ENI 143-1 Grade 0 by ICIM
- High security wall safe with flush facia
- Designed to be set in reinforced concrete
- Option of key or electronic locking
- The electronic lock includes an emergency over ride key and external battery power point in case of lock out
- Removable shelf

Model	External	Internal	Weight	Volume	Shelves
Size I	270 x 390 x 200	245 x 365 x 120	21kg	HL	I
Size 2	340 x 460 x 240	315 x 435 x 160	30kg	22L	1
Size 3	480 x 420 x 280	455 x 395 x 200	42kg	36L	1

## Locking Options:



Size 2







## **Burton Sotto**



£4,000

CASH







## **Features**

- Independently tested and certified to EN14450 S2 by ICIM
- Door opening assisted by gas spring
- Unique adjustble size from 210mm-320mm to suit your needs
- Designed to be set into reinforced concrete in the floor of a building
- High security double bitted key lock

Model	External	Internal	Weight	Volume
Sotto	210-320* x 440 x 320	115-225 x 300 x 270	26kg	20L

<sup>\*</sup>minimum external height 210mm, maximum external height 320mm

## Locking Options:







# High-Security Safes

From £100k jewellery rating, to Europe's Highest security safe, providing £2.5M jewellery rating; all of our high security products are independently tested and certified by internationally recognised test houses and validated by the Association of Insurance Surveyors.

At Burton Safes we work on some of the world's most secure sites. That experience filters into our products and the benefits reach you. Our range contains models with features such as double walled steel products with ultra-high performance concrete, certified fire protection, relocking devices, glass plates, and special drill protective elements for the lock and bolt work.

We deliver key and electronic locking solutions, including the use of the latest biometric technology. Our locking solutions include features such as alarm and CCTV integration, dual user entry, time delays and windows, duress codes, temporary and one user time codes to name a few. We also have a wide range of optional extras to provide for every eventuality, whether that be jewellery inserts or additional shelves.

## **Eurovault Aver** Grade I



£10,000



£100,000







2111

## **Features**

- Independently tested and certified to ENII43-I Grade I by ECBS
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Choose from high security key or electronic locking
- Option of dual locking\*
- Option of left hand hinge\*\*
- Removable shelf in sizes 1 & 2, height adjustable shelving in sizes 3-7
- Back and base fixing
- We also have a Grade I Till Safe featured on page 60 and a Grade I Deposit safe featured on page 64

Model	External	Internal	Weight	Volume	Shelves
Size I	340 x 500 x 300	270 x 455 x 215	70kg	26L	I
Size 2	460 x 440 x 380	395 x 390 x 295	86kg	45L	I
Size 3	670 x 440 x 380	595 x 390 x 295	120kg	71L	I
Size 4	900 x 440 x 380	825 x 390 x 295	156kg	96L	2
Size 5	$640 \times 650 \times 550$	575 x 605 x 465	178kg	160L	2
Size 6	$840 \times 650 \times 550$	775 x 605 x 465	222kg	216L	2
Size 7	1240 x 650 x 555	1180 x 590 x 460	292kg	293L	2

Add 55mm to external depth for handle





Perfect for SME's to secure valuable items and cash. Make it left hand hinge if location is important. Add a duress lock for piece of mind. All optional extras on page 66



## **Locking Options:**























Any lock alterations must conform to EN I 300 Class A. See page 76

<sup>\*</sup> Not size 1 & 2

<sup>\*\*</sup>Additional lead time and costs apply

## **Eurovault Aver** Grade 2





£17,500





£175,000





The perfect combination of fire and security protection for any home or business. We have a range of fixing kits to suit almost all requirements. We can even cope with underfloor heating, by using the rear fixing hole to bolt through and a special high performance adhesive to fix the base. See page 66 for more



### **Features**

- Independently tested and certified to ENI 143-1 Grade 2 and ENI 5659 LFS 30P by ECBS
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Choose from high security key or electronic locking
- Option of dual locking\*
- Option of left hand hinge\*\*
- Cable hole for alarm connection
- Height adjustable shelving
- Back and base fixing
- We also have a Grade 2 deposit safe featured on page 65

Model	External	Internal	Weight	Volume	Shelves
Size 0	460 x 470 x 470	345 x 355 x 320	180kg	39L	1
Size I	500 x 510 x 510	385 x 395 x 360	211kg	55L	1
Size 2	670 x 510 x 510	555 x 395 x 360	262kg	79L	1
Size 3	610 x 680 x 510	495 x 565 x 360	297kg	100L	1
Size 4	810 x 680 x 510	695 x 565 x 360	368kg	141L	2
Size 5	1010 x 680 x 510	895 x 565 x 360	439kg	182L	2
Size 6	$1320\times680\times510$	1205 x 565 x 360	552kg	244L	3
Size 7	1510 x 850 x 600	1375 x 715 x 440	863kg	431L	3

Add 55mm to external depth for handle


























<sup>\*</sup>Not sizes 0 & 1

<sup>\*\*</sup>Additional lead time and costs apply

# Eurovault Aver Grade 3





£35,000





£350,000





Did you know you can change the safe's colour to make it a piece of integrated furniture for the home or office. See page 66 for more










### **Features**

- Independently tested and certified to <u>EN1143-1 Grade 3</u> and <u>EN15659</u>
   <u>LFS 30P</u> by ECBS
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Choose from high security key or electronic locking
- Cable hole for alarm connection
- Option of left hand hinge\*
- Option of dual locking\*\*
- Height adjustable shelving
- Back and base fixing
- We also have a Grade 3 deposit safe featured on page 65
- \*Additional lead time and costs apply
- \*\* Not in sizes 0 and 1



Add 55mm to external depth for handle



## Locking Options:





DUAL LOCKING







BIOMETRIC

Any lock alterations must conform to EN1300 Class B. See page 76





Serious protection designed for business and home use, with fire protection included and a 350k jewellery and valuables rating. Add extra security to your safe by connecting it to your alarm system with our range of door contacts, limpets and seismic sensors. See page 66 for more









## **Eurovault Aver** Grade 4



£60,000





£600,000









Protection at this level provides

time and peace of mind for jewellers, banks and high

networth individuals. It's common

to have an opening counter so you can track access or fit a


seismic detector to raise the

alarm early! See page 66 for

optional extras

## **Features**

- Independently tested and certified to ENI 143-1 Grade 4 and ENI 5659 LFS 30P by ECBS
- Dual locking as standard combination of key and/or electronic as required
- Cable hole for alarm connection
- Option of left hand hinge\*
- Height adjustable shelving
- Back and base fixing



Add 55mm to external depth for handle



Size I



## Locking Options:




**DUAL LOCKING** 















9



Size 3



# Eurovault Aver Grade 5



£100,000





£1,000,000





Our highest graded safe with certified fire protection; the ultimate fire and security solution. Install a coffer for convenient internal storage and change the safe's colour to make it a piece of integrated office furniture, take a peek at page 66 for more













Size 2

## **Features**

- Independently tested and certified to <u>EN1143-1 Grade 5</u> and <u>EN15659</u> <u>LFS 30P</u> by ECBS
- Dual locking as standard combination of key and/or electronic as required
- Cable hole alarm connection
- Option of left hand hinge\*
- Height adjustable shelving
- Back and base fixing

Model	External	Internal	Weight	Volume	Shelves
Size I	680 x 680 x 630	540 x 540 x 380	675kg	IIIL	I
Size 2	840 x 680 x 680	$700\times540\times430$	836kg	163L	1
Size 3	1010 x 680 x 680	870 x 540 x 430	975kg	203L	2
Size 4	1510 x 680 x 680	1370 x 540 x 430	1391kg	320L	3

Add 55mm to external depth for handle



Size 3

## Locking Options:



See page 76







Any lock alterations must conform to EN1300 Class B.





**NOW WITH FIRE** 

**CERTIFICATION** 



<sup>\*</sup>Additional lead time and costs apply

## **Eurovault Atlas** Grade 6



£150,000



£1,500,000







Banking level security – dual locking for maximum protection. Add a special lock that can control both locks via one keypad, link it to the alarm system and add duress codes for extra piece of mind. A list of options can be found on page 66

## **Features**

- Independently tested and certified to ENI 143-1 Grade 6 by SBSC
- Dual locking as standard combination of key and/or electronic as required
- Option of left hand hinge\*
- Height adjustable shelving
- Base fixing
- \*Additional lead time and costs apply

Model	External	Internal	Weight	Volume	Shelves
Size I	1080 x 690 x 660	900 x 500 x 400	1162kg	180L	2
Size 2	1380 x 690 x 660	$1200\times500\times400$	1390kg	240L	2
Size 3	1680 x 690 x 660	1500 x 500 x 400	1610kg	300L	4

Add 25mm to external width for hinges, Add 55mm to external depth for handle and electronic lock options
























## **Eurovault Atlas** Grade 7



£250,000



£2,500,000

The Highest Security Safe in Europe. For home or work, this is simply 'The Best'. Enhance the interior with Watch Winders or Stackers to protect those precious items. See page 66 for more





## **Features**

- The highest security rated safe available in Europe
- Independently tested and certified to ENI 143-1 Grade 7 by SBSC
- Dual locking as standard combination of key and/or electronic as required
- Option of left hand hinge\*
- Height adjustable shelving
- Base fixing
- \*Additional lead time and costs apply

Model	External	Internal	Weight	Volume	Shelves
Size I	1150 x 760 x 730	900 x 500 x 400	1650kg	180L	2
Size 2	1450 x 760 x 730	1200 x 500 x 400	1950kg	240L	2
Size 3	1750 x 760 x 730	1500 x 500 x 400	2350kg	300L	4

Add 25 mm to external width for hinges, Add 55mm to external depth for handle and electronic lock options



Did you know you can change the safe's colour to make it a piece of integrated furniture for the home or office. See page 66 for more
































Jewellery Accessories

Stackers<sup>™</sup> and Watch Winders are the essential way to store and secure your most precious possessions. Ensure your valuables are maintained in the best condition by

keeping your jewellery in the velvet-lined compartments. We have a range of sizes and layouts to accomodate all jewellery and trinkets.

Call the office for information on which models

can fit into each safe. +44 (0) 1484 663388



Watch Winder



Option 6

Option 2

Model	Layout	Size
Option I	Plain	70 x 180 x 125
Option 2	Multi-jewellery compartments	35 x 305-475* x 260
Option 3	3 watch/bracelet compartments	$60 \times 250 \times 180$
Option 4	5 necklace compartments	37 x 250 x 180
Option 5	Ring rolls and bracelet compartments	$35 \times 250 \times 180$
Option 6	6 watch compartments	85 x 250 x 180
Watch Wind	der	145 x 135 x 115

<sup>\*</sup> Option 2 can be extended. 305mm is the width when closed, 475mm is the width when the lower trays are opened.



Our Fire Safes are THE SURE DEFENCE® against fire damage. Our fire safe range can protect documents and data for an hour in temperatures of up to 900°C. Don't just protect your valuables against fire, secure them within double walled steel structures filled with fire and security composite.

Furthermore, these models can offer optional fittings making them specific to your requirements; mechanical combination, electronic PIN or, the advanced biometric locking system; adjustable shelves and an option of pull-out shelves, hanging frame and lockable coffers.

The range offers safes that are tested certified ENI5659 LFS 60P and ECBS (world renowned German accreditation body) and NT Fire 60DIS-120DIS. If you require fire protection for your safe, you should only purchase products that have been independently tested and certified.

## Firesec 4/60



£4,000

CASI







**Features** 

- Independently attack and fire tested to <u>EN14450 S2</u> and <u>EN15659 LFS 60P</u> by ECBS
- 60 minute fire test at temperatures up to 900°C
- Option of key or electronic locking
- Suitable for storage of controlled drugs with active ingredients under 500g
- Removable shelf in sizes 1 & 2, height adjustable shelving in sizes 3 & 4
- $\bullet$  Option of pullout shelves, hanging frame and lockable coffer in size  $4^{**}$
- Base fixing
- \* safe for longer warranty does not include size 4
- \*\* Additional lead time and costs apply

Model	External	Internal	Weight	Volume	Shelves
Size I	345 x 480 x 460	185 x 330 x 300	64kg	I8L	1
Size 2	490 x 480 x 460	330 x 330 x 300	81kg	32L	1
Size 3	670 x 480 x 460	510 x 330 x 300	103kg	50L	1
Size 4	1950 x 940 x 585	1760 x 800 x 390	452kg	549L	4

Add extra 20mm to external depth for handle and hinges on sizes 1-3 and an extra 55mm on size 4



Size I



Dual protection safe – perfect for those precious documents and papers alongside valuable contents. Add a strengthened shelf or change the colour, the choice is yours. See page 66 for the full range













## Firesec 10/60



£10,000







Size 2

## **Features**

- Independently attack and fire tested to ENII43-I Grade I and ENI5659 LFS 60P by ECBS
- 60 minute fire test at temperatures up to 900°C
- Option of key or electronic locking
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Height adjustable shelving
- Internal coffer in sizes 2 and 3
- Option of pull out shelves and hanging frames in size 4\*\*
- Base fixing
- \* safe for longer warranty does not include size 4
- \*\* Additional lead time and costs apply

Model	External	Internal	Weight	Volume	Shelves	
Size I	490 x 480 x 445	330 x 330 x 290	101kg	31L	1	
Size 2	750 x 555 x 550	335* x 410 x 390	195kg	93L	I	
Size 3	1100 x 555 x 550	705* x 510 x 390	271kg	148L	I	
Size 4	1950 x 940 x 585	1760 x 800 x 390	658kg	549L	4	

Add 55mm to external depth for handle, hinges and electronic lock



Top of the range dual protection. Add an internal light and fit a lock with Duress code to finish it off. See page 66 for optional extras



Size 4













Any lock alterations must conform to ENI300 Class A. See page 76







<sup>\*</sup>Excludes internal coffer Height = 235mm


## Firebrand XL







- Independently fire tested and certified to EN15659 LFS 60P by ECBS
- 60 minute fire test at temperatures of up to 900°C
- Electronic PIN code locking
- Batteries located externally so you are never locked out in the event of power failure
- Dead bolts secure the door, even if the hinges are cut off
- Removable drawer in each size
- Removable shelf in sizes 2 and 3



Add an extra 50 mm to external depth for handles, hinges and any lock

### Locking Options:







# FIRE SAFES

# **Firebrand**



£1,000









## **Features**

- Independently fire tested and certified to EN15659 LFS 60P by ECBS
- 60 minute fire test at temperatures of up to 900°C
- Electronic PIN code locking
- Batteries located externally so you are never locked out in the event of power failure
- Dead bolts secure the door, even if the hinges are cut off
- Removable tray in all sizes
- Removable shelf in sizes 2 and 3
- Base fixing

Model	External	Internal	Weight	Volume	Shelves
Size I	295 x 430 x 365	190 x 325 x 235	34kg	I5L	-
Size 2	490 x 360 x 425	380 x 260 x 295	44kg	29L	1
Size 3	510 x 445 x 425	410 x 340 x 290	51kg	41L	1

Add an extra 20mm to external depth for handles, hinges and any lock

## Locking Options:

Size 2


















# Fire Resistant Filling Cabinet








## **Features**

- Independently tested and certified to ENI5659 LFS 60P by ECBS
- Tested at temperatures of up to 900°C
- Choose from high security key or electronic PIN code locking
- Option to control each drawer individually with a high security cam lock
- Individual drawer latch means you can choose which drawers are locked by the central control system
- Drawers are suitable for both A4 <u>and</u> Foolscap files, each drawer can hold up to 40kg
- Anti-tilt device, means that only one drawer at a time can be opened
- Tactile rubber handles

Model	External	Internal	Weight	Volume	Drawers
Size I	490 x 480 x 655	250 x 325 x 510	78kg	40L	I
Size 2	825 x 545 x 655	250 x 390 x 500	l I Okg	48L	2
Size 3	1165 x 545 x 655	250 x 390 x 500	150kg	48L	3
Size 4	$1500 \times 545 \times 655$	$250\times390\times500$	210kg	48L	4

Add 40mm to external depth for handles and electronic lock





From a I drawer to 4, all can be painted from our range of options or indeed connect them via door contacts to your alarm system.

See page 66 for optional extras









## Data Safe







Size I



## **Features**

- Independently fire tested to NT FIRE 017
- CD's and computer media tested at temperatures of up to 900°C
- Protection against smoke, water damage, magnetic fields and electrostatic phenomena
- High quality electronic PIN code locking
- Combination of adjustable shelving and dividable drawers allows for effeciant storage of various items
- Larger models feature castors for easy manoeuvrability

## Capacity Table

, , , , , , , , , , , , , , , , , , ,							
Model	Size I	Size 2	Size 3	Size 4	Size 5	Size 6	Size 7
4mm DAT	74	150	312	232	464	580	1160
8mm DAT	33	54	168	114	228	285	570
CD	30	53	111	188	376	470	940
DLT	16	20	62	84	168	225	420
LTO/Ultrium	-	-	-	88	176	220	440
LTO/Ultrium (without case)	22	36	96	114	228	285	570
3590 Cartridge (without case)	12	22	64	96	192	240	480
Fire Protection (minutes)	60	60	90	120	120	120	120

Model	External	Internal	Weight	Volume	Shelves	Drawers
Size I	420 x 350 x 435	225 x 160 x 205	43kg	7L	I	0
Size 2	525 x 405 x 440	315 x 195 x 200	65kg	I2L	I	0
Size 3	$695\times500\times500$	420 x 275 x 230	120kg	26L	2	0
Size 4	830 x 690 x 720	490 x 400 x 405	265kg	80L	1	2
Size 5	$1220\times690\times720$	875 x 400 x 405	352kg	143L	I	4
Size 6	$1445\times690\times720$	1105 x 400 x 405	480kg	180L	I	5
Size 7	1745 x 1200 x 720	1400 x 800 x 405	765kg	450L	4	10

Add 40mm to external depth for handles and keypad

Locking Options:



In these modern times DATA is the sought after valuable commodity of thieves - add alarm connective accessories to our data safes for the ultimate peace of mind. See page 66 for the full range of options

# Gun Cabinets

The Gun Safe range is suitable for shot guns or rifles and accommodates most models with scopes and silencers fitted. Secure your guns in high security gun cabinets that are to Police Preferred Specification under the Secured by Design scheme.

These models are ideal to secure a gun collection, with high density foam gun holders and base, holders for cleaning rods and ammo belts, internal lockable ammo box and optional sideshelf for other valuables. Furthermore, this range has a choice of locking options: single key, mechanical combination, electronic PIN, or biometric locking system.

## **Scout Gun Cabinet**



£2,000



£20,000



#### **Features**

- Independently tested and certified to EN14450 S1
- Police Preferred Specification
- Suitable for shotguns or rifles
- High density foam gun holders and base
- Holders for cleaning rods and ammo belts
- Internal lockable ammo box
- Option of key or electronic locking
- Back and base fixing



Model External Internal Weight Volume Guns **S5** 1450 x 300 x 335 1240\* x 295 x 225\*\* 82L 5 64kg SIO  $1450 \times 500 \times 485$ 1280\* x 445 x 380\*\* 100kg 215L 10











Add extra 40mm to external depth for handle \*Excludes ammo box \*\*Excludes gun and rod holders

# Warden Gun Cabinet



£10,000









### **Features**

- Independently tested and certified to <u>ENII43-I Grade I</u> by ECBS
- Police Preferred Specification
- Suitable for shotguns or rifles and will accommodate most scopes and silencers
- Three way locking bolts
- Foam gun holders and base
- Holders for cleaning rods and ammo belts
- Internal lockable ammo box and optional size shelving for other valuables
- Option of key or electronic locking
- Back and base fixing

Model	External	Internal	Weight	Volume	Guns	
W6	1550 x 420 x 430	1270* x 340 x 310**	158kg	I34L	6	
WI2	1550 x 750 x 430	1270* x 670 x 310**	226kg	264L	12	
WI8	$1550 \times 1080 \times 430$	1270* x 1000 x 310**	310kg	394L	18	

<sup>\*</sup>Excludes ammo box \*\*Excludes gun and rod holders Add extra 55mm to external depth for handle

## Locking Options:





to EN I 300 Class A. See page 76















# **Hotel Safes**

The Hotel Safe range has a simple locking system that can be used with complete ease and by multiple users. These models have display screens, back lit buttons and audiable sounds to easily guide users through their operation.

The guests can choose a 3-6-digit code; few enough digits to prevent guests forgetting, whilst also being secure. In the case of a guest forgetting or, if the batteries in the lock run out: this range features an override emergency key and master code.

This range of products can also be ideal for student accommodation, Airbnb and domestic use.

## **Hotel Standard**



£1,000





£10,000





### **Features**

- Economical unit with simple guest operation
- Users choose their own 3-6 digit code
- Bleepers and LED lights to confirm actions
- Size 2 will accommodate most laptop computers and tablets
- Back and base fixing



Keeping valuables safe from opportunistic theft is essential. See page 66 for our fixing options

Model	External	Internal	Weight	Volume
Size I	200 x 310 x 215	195 x 305 x 120	6kg	7L
Size 2	195 x 440 x 395	190 x 430 x 300	12kg	24L

Add 25mm to external depth for keypad

Locking Options:



## **Hotel Drawer**



£1,000





£10,000







## **Features**



- Blue backlit keypad with motorised locking
- Users choose their own 4 6 digit code
- Features keyed alike emergency key and master code
- Audit trail of last 100 openings
- Back and base fixing

Model	External	Internal	Weight	Volume	
Size I	200 x 350 x 410	130 x 260 x 340	l 4kg	HL	

Add 15mm for the keypad and handle

Locking Options:



Want to print out your audit trail with a time & date stamp? Order the optional CEU unit and software to help reduce fraudulent claims and internal theft.



£1,000



£10,000



HOTEL SAFES



**NEW PRODUCT** 

Hotel Pop Up

£1,000

£10,000



## **Features**

- Blue backlit keypad with motorised
- Pop up lid with internal carpet
- User chooses own 4 6 digit code
- Will accomodate standard sized laptops
- Features keyed alike emergency key and master code
- Audit trail of last 100 openings
- Back and base fixing

Model	External	Internal	Weight	Volume
Size I	145 x 400 x 350	75 x 395 x 345	12kg	IOL

Add 15mm for the keypad and handle

Locking Options:



Help your clients see their valuables inside dark drawers and cupboards with this helpful internal light.



Excellent value for money, this safe is ideal for both boutique style hotels or student accommodation, Airbnb or similar - by using the Audit unit you can open the safe when there is a lost code or download an audit of access to prove use. Also add optional internal charging for laptops and phones with the addition of a 3 PIN and/or USB socket. See page 66 for all optional extras









## **Features**

- Guests choose their own 3-6 digit code
- Will accommodate laptops with a screen size of up to 17"
- Display screen and backlit keypad for ease of use
- Features keyed alike emergency key and master code
- Audit trail of last 100 openings
- Back and base fixing

Model	External Internal		Weight	Volume
Lambent	200 x 485 x 375	195 x 480 x 290	18kg	27L

Add 20mm to external depth for keypad

Locking Options:



51

# Key Safes

The Key Safe range is the perfect security solution for securing and storing keys This range includes Keyguard allowing authorised access to carers, cleaners, workmen, dependents, holiday lets, and key cabinets designed for use in showrooms, garages, universities, schools and large commercial sites.

We provide products that answer a variety of requirements: UK Police Preferred Specification under the Secured by Design scheme, and the Keyguard Digital XL is certified to LPS1175 (Issue 8) A3.

LPS1175 Issue 8 is an independent attack test certification. A tool list is selected and then time given to withstand a physical attack. Keyguard XL is the first key safe to achieve this level.

LPCB is part of the BRE Group, the world renowned certification and testing facility who test and certify products to the very latest attack methods.

## **Keyguard Combi**







#### **Features**

- Combination key safe
- 4 digit roller combination which is simple to set and change
- Ideal for the safe keeping of household keys
- Choose your own code and change it whenever you like
- Weather-resistant rubber cover included

Model	External	Internal	Weight
KG Combi	115 x 65 x 55	80 x 40 x 20	lkg









**Keyguard Digital** 





### **Features**

- Superior push button key safe
- 12 button design
- Ideal for use by carers, cleaners, workmen and dependents
- Can also be used for storing most single car keys inside the home
- Over 4000 possible code combinations
- Holds up to 80mm long keys
- Weather-resistant rubber cover included
- Fixings are provided

Model	External	Internal	Weight	
KG Digital	115 x 65 x 55	80 x 40 x 20	lkg	

## Locking Options:













- The world's first key safe to be successfully certified to LPS1175 Issue 8
- Police Preferred Specification
- Independently tested and certified to <u>LPS1175</u> Issue 8 A3
- Permanent, light-weight, weather-resistant cover provided. This doubles as a fixing template for quick and easy install
- Bright numbers and indicators for ease of use
- Internal key hook
- Over 4000 possible code combination
- Code can be changed multiple times
- Allows storage for multiple keys or key cards
- Fixings are provided
- Also certified for fixing to rendered walling
- 5 year warranty

Model	External	Internal	Weight
KG XL	160 x 95 x 55	70 × 50 × 20	2kg











# **Heavy Duty Key**

## **KS Key Cabinets**

# **Cabinets**



**CK/E 40** 

External

 $470 \times 360 \times 140$ 

470 x 360 x 140

### **Features**

Internal

460 x 350 x 120

460 x 350 x 120

- Top quality range of key cabinets that offer a high level of security
- Ideal for use in car showroms, garages, universities, schools and large commercial sites
- 8mm solid steel door and 3mm steel body
- High security, 8 lever key lock of electronic PIN code lock
- Electronic version features a flush keypad, an emergency key and an external power point in case of lock out
- Door secured by two solid locking bolts

Weight Key Hooks

40

120

25kg

27kg



## **Features**

- A range of economical cabinets
- Ideal for use in car showrooms, garages, universities, schools and large commercial sites
- 5mm solid steel door and 2mm steel body
- Electronic PIN code locking
- Key tags and numbers supplied
- KS133 is deeper than most cabinets, making it ideal for bunches of keys
- Height adjustable key racks

Model	External	Internal	Weight	Key Hooks
KS27	360 x 300 x 110	355 x 295 x 25	8kg	27
KS71	450 x 360 x 160	445 x 335 x 80	15kg	71
KS133	650 x 420 x 210	645 x 415 x 130	20kg	133

Add 13mm to external depth for keypad



Model

**CK/E 40** 

**CK/E 120** 











### **Features**

- Automate the process of handing out and receiving keys
- Control user and time access to all keys
- Create rules for key management and send exception reports if they are broken
- Monitor key and user use in real time
- Anti-tamper steel key rings
- Access via RFID card as standard, option to add PIN code or fingerprint access
- Built-in power supply
- Ideal for use in hotels, government organisations, car showrooms, schools, hospitals and other commercial sites
- Can be stand alone or networked

Model	External	Weight	Key Hooks
KMS 5	265 x 500* x 150	llkg	5
KMS 20	510 x 555* x 170	27kg	20
KMS 30	605 x 555* x 170	29kg	30
KMS 50	790 x 555* x 170	37kg	50
KMS 100	976 x 735* x 170	57kg	100






## Locking Options:







# **Retail Safes**

Deposit safes have become a necessity for businesses as hold up situations and internal fraud have become an increasing threat. Some of these safes have been independently tested and certified to ENII43-2 by ECBS.

Having a separate deposit drawer means staff can deposit cash/valuables without having access to the main safe. Both the drawer and the safe door are fitted with separately operated high security locks. These models have optional locking including mechanical combination, electronic PIN or advanced biometric locking systems.

## Till Safe



£10,000

£40,000 or £100,000







### **Features**

- Independently tested and certified to EN14450 S2 or EN1143-1 Grade I
- Designed for storage of till drawers
- Store a minimum of 4 drawers in each model
- 2 different security levels to suit your requirements
- High security key locking on S2, option of key, electronic or biometric locking on the Grade I
- Back and base fixing

Model	External	Internal	Weight	Volume	Shelves	
S2 Till	510 x 550 x 500	430 x 470 x 400	47kg	80L	3	
GI Till	640 x 650 x 550	575 × 605 × 465	l 78kg	161L	2	

Add 55mm to external depth for handle on GI Till

## **Locking Options:**





## **Cashguard Vehicle** Safes



Cashguard

## **Features**

- Ideal for use in vans/lorries on delivery rounds
- A range of deposit slots and security levels to suit your requiments
- Base plates attach to the vehicle and the main safe body is locked into these
- The safe has two locks, one for the base plate and one for the safe door
- The two locks are on different keys. This allows drivers to move the safe from the base plate without having access to the contents of the safe



Model	External	Internal	Slot Size	Weight	Volume
Mini	255 x 165 x 150	210 x 160 x 145	90 x 32	5kg	4L
Cashguard	380 x 205 x 150	350 x 200 x 120	150 x 90	15kg	8L



# Teller Deposit Safe







The best solution for businesses to secure cash quickly and without allowing staff access to deposited cash. Add special locking to provide monitoring benefits, time delay, and time windows and increase the security of your cash. See page 66



## **Features**

- Choice of deposit methods and trap sizes to suit your requirements
- $\bullet$  Size I V Trap and Size 2 V Trap deposit via a front loading V Trap system
- Size I Rotary deposits via a top loading rotary drum
- Option of key, electronic or biometric locking\*
- Automatic slam locking system\*\*
- Dual locking available on Size 2 V Trap
- Back and Base fixing
- \*Electronic and biometric locking not available on the Mini Teller
- \*\*If fitted with the Burton Duo swing lock or the Kaba Axcessor



Size 2 V Trap



Model	External	Internal	Slot Size	Weight	Volume
Mini Teller	305 x 205 x 255	295 x 195 x 180	20 x 135 x 200	15kg	IOL
Size I Rotary	$510 \times 355 \times 355$	$330 \times 345 \times 275$	255 x 105 x 120	40kg	31L
Size I V Trap	505 x 355 x 355	220 x 345 x 275	45 x 265 x 190	40kg	21L
Size 2 V Trap	$760\times510\times510$	$455 \times 500 \times 430$	45 × 390 × 200	90kg	98 L

Add 45mm to external depth for handle on sizes I and 2









# **Eurovault Aver** Deposit Grade I

This style of safe operation is proven to avoid hold up situations and provides excellent insurance cover/cost efficiency. Fit a limpet and door contacts to fully lock down access - see detail on page 66







### **Features**

- Independently tested and certified to ENI 143-2 Grade I by ECBS
- Drawer deposit means staff can deposit without accessing the main safe
- Option of key, electronic or biometric locking for both main door and deposit drawer
- Time delay, time windows and duress features available with electronic lock upgrade
- Base fixing

Model	External	Internal	Max Deposit Size	Weight	Volume	Shelves
Size I	670 x 650 x 550	455 x 573 x 423	100 x 500 x 120	190kg	IIOL	-
Size 2	1040 x 650 x 550	816 x 573 x 423	100 x 500 x 120	270kg	298L	2

Add 55mm to external depth for handle

#### Locking Options:



See page 76
















## **High Security Deposit** Safe Grade 2/3





Add a Seismic sensor for overnight protection or door contacts to ensure access is always authorised. See page 66 for detail.



### **Features**

- Independently tested and certified to EN1143-2 Grade 2/3
- Drawer deposit means staff can deposit without accessing the main safe
- Deposit drawer is secured by a high security key lock
- Option of key, electronic or biometric locking on the main door
- Rear facing/through wall deposit available to order
- Base fixing

Model	External	Internal	Max Deposit Size	Weight	Volume
Size I	770 x 565 x 540*	400 x 390 x 330	30 x 320 x 210	400/420kg	51L
Size 2	970 x 565 x 540*	600 x 390 x 330	30 x 320 x 210	485/525kg	77L
Size 3	1390 x 565 x 540*	1020 x 390 x 330	30 x 320 x 210	690/740kg	131L

Add 55mm to external depth for handle \*Add 20mm to external width for hinges

















## Safe Optional Extras

### **Functional**



### **Internal Lights**

- Enables you to see your belongings, even when your safe is in a dark cupboard
- Belongings can be displayed as well as protected
- Uses magnets to attach to the safe interior, no installation required
- Batteries included

<u>Shelves</u> - Additional, replacement and reinforced shelves holding up to 50kg. We have a wide range to suit our products and your needs.





<u>Left Hand Hinge</u> - Where available Burton Safes can provide your safe with a left-hand hinge

## Watch Winders & Stackers

- Keep jewellery and valuables secure
- Keep automatic watches at the correct time







## **Deposit**

Add deposit features to your safe!

- Internal Coffers
- Deposit Slots
- Preparation for Air tubes





**Fixing** 

We have a range of fixing kits available to install your safe:

- Concrete
- Wood
- Chemical
- Adhesive
- Plinths
- Underfloor



We offer a wide range of services and times for installation including evenings, weekends and early mornings. Our full list of services is featured on page 109, call our office for more information.



## **Aesthetic**

Available on nearly all of our range - Choose from 4 alternative paint colours for the exterior of your safe.



RAL 9005 Jet Black



RAL 7043 Traffic Grey B



RAL 1019 Grey Beige



RAL 1015 Light Ivory

## Safe Optional Extras

## **Security**

#### **Safe Limpets**

- Piezo Vibration Detector
- Integral Analyser
- Thermal and Proximity Sensor
- Magnetic Interference and Supply Failure Detection
- Connects to your building alarm system
- Prevents operation of your safe whilst the alarm is activated





#### **Seismic Sensor**

- Detects specific vibrations from unauthorised attempts to penetrate the safe
- Fast reacting alarm system
- Has optimum sensitivity, detecting unauthorised access and preventing false alarms
- Suitable for noisy environments

We can also provide door contacts and opening counters



### Signal Blocker

The sure defence for contactless cards, keyless vehicle keys and distracted driving.



- Police Preferred Specification
- Fits all key fobs, smart cards and phone
- Blocks all signals from cards, key fobs and phones
- Blocks GPS tracking
- Expertly tested to a 99% success rate
- Double stitched reinforced seams
- Spare pouch





## Locking

At Burton Safes we have a huge range of locking options. See page 76 for full details on our reccomended models.

With the original design concept of being 'Easy to use' the KABA Axcessor USB delivers a huge range of functions, via a simple visual input unit. One interesting feature is the DURESS function. This facility enables the lock to be connected to an alarm system, activating a silent signal to a remote monitoring station or to the Police when the user is under 'duress' by entering a slightly different code – this can also trigger a time delay if programmed.



#### Kaba Axcessor USB

- Duress Code
- 18 Users
- Time Delay
- Time Lock Periods
- Battery Powered
- Clear Display

- Dual / 4 Eye Function
- Audit Trail of 10.000 events
- Alarm Connection
- Wrong Try Lockout (4 false attempts)
- Tamper Function
- Holiday Periods

The KABA Axcessor USB is one of the most efficient and reliable locks on the market – suitable for domestic and commercial use, contact the office for a full description and to discuss your locking needs.

#### **INSYS flex ID**

A flexible locking system for security containers like gun cabinets, safes, secure cabinets or entry and access doors. Access takes place contactlessly via RFID card or RFID tag. Stand alone or with a state of the art software system, Elocomm, for programming, control and audit. The Flex brings full access control functionality to your secure storage needs.

- High-quality motor lock and compact RFID reader unit
- Easy, quick opening via RFID card/RFID tag
- Easy enrollment of additional users without configuration software and keypad
- Adding of up to 99 additional cards/tags possible
- Manipulation blocking and automatic locking
- Emergency power supply
- Time delay, dual code and external release/blocking (only EloStar® flexID multi)



# - Lusso -





## NEW PRODUCT

Lusso delivers affordable luxury; handcrafted in Yorkshire to the finest quality. Designed with lustrous bespoke décor, watch winders to maintain those most treasured timepieces and beautiful suede drawers providing elegant, protection for precious jewellery.

Contact the office for a Lusso Menu Card.

Model	External	Max Drawers	Watch Winders
Size I	500 x 510 x 510	4	-
Size 2	670 x 510 x 510	5	2



#### **Features**


- Independently tested and certified to ENI 143-1 Grade 2 or Grade 3 by ECBS
- £175,000 £350,000 jewellery and valuables rating
- Tested and certfied to <u>EN15659 LFS 30P</u> by ECBS, providing 30 minute fire protection
- Choice of key or electronic PIN code locking
- Choose from 2 sizes and 4 exterior safe colours
- Hand-crafted interior made to your choice of layout, material, colour and drawer configuration
- Suede lined shelving and drawer interior
- Back and base fixing
- 8-10 week lead time





The bespoke interior provides you with a choice of colour, fabric and layout to accomodate all jewellery types and personal styles. The exterior colour choices can match or compliment your safe interior and blend into your home.

### Drawer layout options













# BRIXIA

contemporary italian design









#### **Features**

- Independently tested and certified to ENII43-I Grade I or Grade 3 by ECBS
- High security electronic PIN code lock
- Flush keypad and hinges
- Unique aluminium hinge, boltwork and shelf
- Optional left hand hinge in sizes 3 and 4
- Optional jewellery drawer module or watch winder module
- Modules are hand-crafted in italy and made bespoke to your choice of material, colour and drawer layout
- · Back and base fixing

#### Brixia Uno - Grade I

#### £10,000 cash rating

Model	External	Internal	Weight	Volume	Shelves	Modules
Size I	330 x 440 x 430	250 x 360 x 295	85kg	26L	I	ı
Size 2	460 x 490 x 430	380 x 410 x 295	110kg	46L	I	2
Size 3	630 x 490 x 430	550 x 410 x 295	125kg	66L	I	3
Size 4	810 x 490 x 430	730 x 410 x 295	145kg	88L	I	4

#### Brixia Tre - Grade 3

#### £35,000 cash rating

Tre Size 4

Model	External	Internal	Weight	Volume	Shelves	Modules
Size I	375 x 510 x 480	260 x 410 x 300	160kg	32L	I	I
Size 3	665 x 510 x 480	550 x 410 x 300	235kg	67L	I	3
Size 4	845 x 510 x 480	730 x 410 x 300	285kg	89L	2	4
Size 5	1045 x 560 x 530	930 x 460 x 350	380kg	148L	2	5



Tre Size I



Locking Options:















#### THE LUXURY RANGE

FROM BURTON SAFES



THE LUXURY RANGE FROM BURTON SAFES OFFERS OUR CLIENTS THE UNIQUE EXPERIENCE TO CUSTOM DESIGN THEIR OWN SAFE. HANDCRAFTED IN YORKSHIRE, UK, OUR BESPOKE SAFES ARE FINISHED TO THE HIGHEST STANDARD. OUR TEAM OF EXPERT CRAFTSMEN AND WOMEN PROVIDE LUXURIOUS, BESPOKE SOLUTIONS TO MEET ALMOST ANY REQUIREMENT, INCLUDING HANDMADE JEWELLERY DRAWERS AND HANDCRAFTED UPHOLSTERING USING THE FINEST SUEDE AND LEATHER.

WE UNDERSTAND THAT EACH PROJECT IS DIFFERENT WHICH IS WHY WE BUILD A SECURITY SOLUTION BESPOKE TO EACH CLIENT. FROM MATCHING COLOUR SWATCHES FROM YOUR FAVOURITE CAR TO HAND-STITCHING YOUR FAMILY CREST INTO THE INTERIOR, WE CAN ENSURE YOUR SAFE IS THE ONLY ONE OF ITS KIND IN THE WORLD.

THE EUROVAULT LX IS AVAILABLE IN A VARIETY OF SIZES, SECURITY GRADES RANGING FROM EN I | 43-1 Grade | - Grade 7, even including options for GLASS FRONTED DISPLAY CABINETS AND GUN CABINETS.

- JEWELLERY AND VALUABLES COVER
   FROM £100,000 to £2,500,000
- OVER 30 SAFE SIZES AVAILABLE
- LUXURY SECURITY DOORS AND PANIC ROOMS MADE AND INSTALLATED TO MEET YOU AND YOUR HOME'S SECURITY NEEDS
- Design, consultancy and installation provided by the Burton Safes Luxury Team







AN ASSIGNED PROJECT MANAGER WILL OVERSEE THE WHOLE PROCESS FROM DESIGN TO BUILD, TO THE INSTALLATION.

WITH OVER 25 YEARS EXPERIENCE PROVIDING GLOBAL SECURITY SOLUTIONS, WE HAVE BUILT A REPUTATION AROUND SECURITY, LUXURY, INTEGRITY AND CUSTOMER SATISFACTION. WE HAVE HELPED KEEP HOMES AND FAMILIES SAFE FOR DECADES.

### Safe Locks

Burton Safes work with all of the world's major safe lock manufacturers to bring you a wide choice in locking solutions and access control for your safes and vaults.

Below are some of the more popular models but please enquire if you have a specific need and we will find a lock to suit your needs and budgets.

We have strategic partnerships with **Insys** and **Kaba**, ensuring that we can provide solutions for the most demanding of commercial environments - CvIT, banking and large retail estates. Contact our commercial team for more information +44 (0) 1484 663388



















What B	Burton Safes recommend	Burton	Home	Comr Axessor USB	nercial Axessor IP	R LaGard 66e	etail CombiLock Pro	Ba Elostar Master	Va ank Stron Twinlock Business	ults & ngrooms
TYPES OF CODES	No. of User Codes No. of Manager Codes No. of Master Codes Dual User Courier Code Duress Code One Time Code	Duo I I	Bio IO I YES	I8 2 I YES YES YES	36 4 I YES YES YES	9 I I YES YES YES	9* I YES YES YES	99 I 2 or 3 YES YES YES YES	99 I 2 YES YES YES YES YES	95 Multiple levels Multiple levels YES
FEATURES	Time Dealy Time Lock Audit Trail Biometric Option		YES YES YES YES	YES YES YES via I/O box	YES YES YES via I/O box	YES YES YES	YES YES YES	YES YES YES	YES YES YES YES	YES YES YES via I/O box
TOCK	Remote Programming I/O box Redundant System Multi Lock Option			YES	YES YES		YES	YES YES YES	YES YES YES YES	YES YES YES YES
TYPE OF LOCKING	Swing Bolt Dead Bolt Motorised Bolt	YES YES	YES	YES	YES	YES YES	YES	YES YES	YES YES	YES
	Lock Grade	В	В	В	В	В	В	В	B/C/D	B/C/D











## THE SURE DEFENCE RANGE

From the world's most advanced safe deposit centres in Hong Kong, to securing cash, bullion and valuables in banks and retailers across Europe and the Middle East; the team at Burton Safes have the experience to advise, design and deliver physical security solutions to protect you and your assets.

The High-Security team have over 85 years' worth of security industry experience and are qualified in security design and consultancy. Dedicated account and project managers ensure an unrivalled customer experience.

Burton Safes deliver 'The Sure Defence'



### **Kronos Security Doors**







#### **Features**

- High security steel doors
- Independently tested and certified to LPS1175 SR2 SR4
- Optional 240 minutes fire rating\*
- Optional flood protection
- Police Preferred Specification
- Suitable for use in any high security environment including; banks, utility sector, retail outlets, jewellers, government, defence buildings and airports
- Custom made to fit your property size and operational requirements
- Inward or outward opening door leaves
- Single or double door sets
- Variety of locking options and optional fittings
- Available in almost any RAL colour\*\*
- 10 year anti-rust warranty
















Variant	Min Height	Max Height	Min Width	Max Width	
SR2					
Single inward opening	1000	2930	600	1430	SEC
Double inward opening	1000	2930	900	2600	ÙRI
Single outward opening (with removable over panels)	1000	3930	740	1430	SECURITY DOORS
Double outward opening (with removable over panels)	1200	3930	900	2600	OORS
Single outward opening	1000	2930	600	1430	
Double outward opening	1000	2930	900	2600	
Single outward opening (with fixed side and over panels)	1000	3930	740	4180	
Double outward opening (with fixed side and over panels)	1200	3930	900	5200	
SR3					
Single outward opening	1000	2930	600	1430	
Double outward opening	1000	2930	900	2600	
Single inward opening	1000	2430	600	1430	
Double inward opening	1000	2430	900	2600	
Single outward opening (with fixed side and over panels)	1200	4125	600	1430	
Double outward opening (with removable over panels)	1200	4125	900	2600	
SR4					
Single outward opening	1000	2930	600	1430	
Double outward opening	1000	2930	900	2600	
Single inward opening	1000	2430	600	1430	81
					51

<sup>\*</sup>max 60 minutes with vision panels

<sup>\*\*</sup>some colours are at an additional cost

### **Kronos Security Doors**



### **Janus Security Doors**







#### **Features**

- High security door for homes, offices, banks and prestigious or listed buildings.
- Independently attack tested to EN1627 RC3 RC4
- Custom made to suit your property
- A range of fittings and door furniture available
- High environmental performance Industry leading energy effeciency
- Superb thermal and sound insulation
- External models offer high levels of air tightness, water-resistance and wind-resistance
- Choice of key or electronic locking
- Special subframe to aide installation, increase security and can give additional thermal insulation on request
- Security glazing available on request
- Bullet resistance available on request
- Emergency and panic hardware available on request

#### Locking Options:











INSULATION




RESISTANCE





### **Janus Security Doors**

Special sub frame for high quality installation



All Janus doors are fitted by our installation team with a full pre-design and consultancy service on offer

electronic pin code or fingerprint locking with a thumb turn inside


Door Model	Location	Security Grade	Accoustic Insulati	on
Janus 3	Internal	EN1627 RC3	-43dB Rw	
Janus 4	Internal	EN1627 RC4	-44.8db Rw	SE
Janus Fire	Internal	EN1627 RC3	-43dB Rw	C
Janus 3ex	External	EN1627 RC3	-43dB Rw	CURITY
Janus 4ex	External	EN1627 RC4	-44.8dB Rw	
Janus Gold	External	EN1627 RC4	-46dB Rw	DOORS
Janus Platinum	External	EN1627 RC3	-46 dB Rw	S
Door Model	Thermal Insulation	Air Tightness	Water Tightness	Wind Resistance
Janus 3	1.3W/m2K	N/A	N/A	N/A
Janus 4	1.2W/m2K	N/A	N/A	N/A
Janus Fire	1.6W/m2K	N/A	N/A	N/A
Janus 3ex	I.3W/m2K	Class 4	Class 6A	Class C4
Janus 4ex	1.2W/m2K	Class 4	Class 3A	Class C4
Janus Gold	0.6W/m2K	Class 4	Class 9A	Class 5
Janus Platinum	0.54W/m2K	Class 4	Class 9 A	Class 5







### Ajax Grilles & Cages



#### **Features**

- High security retractable grilles and cages
- Police Preferred Specification
- Suitable for domestic and commercial properties
- Custom made to suit your individual needs
- Available in almost any RAL colour\*
- Blast tested using 100kg charge at 20m behind glass backed with anti-shatter film
- Allows line of sight for guarding and CCTV
- Neatly folds away out of sight when not in use
- No hot works required during installation
- some colours at additional costs





#### **Features**

- High security fixed bar sets
- Independently tested and certified to LPS 1175 SR2 SR3
- Police Preferred Specification
- Suitable for internal or external installtion
- Custom made to suit your individual needs
- $\bullet$  Available in almost any RAL colour\*
- Reveal or face fixing options available
- Suitable for mounting to brickwork, concrete or steel
- Minimum 500mm x 500mm
- Allows line of sight for guarding and CCTV







some colours at additional costs

### **Orthrus Vaults**

A freestanding high security solution of modular construction, Orthrus delivers optimum price/performance ratio. It is certified to the very latest LPS standard – LPS I 175: Issue 8 and has achieved security rating F 10/G5.

Each room is built to order according to the individual size and security requirements of the client. The flexibility of design and build allow this to be the perfect solution in the commercial world for high value items or indeed military/government use for sensitive materials or meeting spaces.





#### **Features**

- Freestanding high security safe room
- Modular construction to create bespoke rooms built to your specification
- Independently tested and certified to LPS1175 (Issue 8) F10/G5
- Ideal solution for creating a secure space within an existing structure
- Ideal for commercial, military and government use
- Exceeds requirements of the UK Environment Agency for the storage of radioactive source material/equipment
- Panel widths range from 150mm to 1500mm
- Rooms can be 5 or 6 sided
- Design, consultancy service and intallation provided by Burton Safes
- The door and locking system can be connected to client's own alarm system and access control system
- A 2<sup>nd</sup> or 3<sup>rd</sup> lock can be added to your vault door if required
- Lock features 4 manager codes, 36 user codes, time delay and time windows, dual user functions and audit trails
- Optional emergency door is available


#### Vault panel information

Model	Min-Max Length*	Min-Max Width	Thickness	Weight p/m <sup>2</sup>
Orthrus	1950 - 3950 (wall)	150 - 1500	27	90kg
	2900 (ceiling)			

<sup>\*</sup>without additional steel supports

#### Vault door information

Model	Clear Opening Height	Clear Opening Width	Thickness	Weight p/m²
Standard Size	1960	910	160	900
Certified Range	1810 - 3950	510 - 1950	160	900
Emergency Door (in wall panels)	510	1068	160	450











LPS 1175 Issue 8 Cert No. 1000K

### **Talos Walling**







Walling System

#### **Features**

- Create a secure room seperate from or within an existing property
- Can be used in residential or commercial properties for panic rooms and secure enclosers
- Models with independent testing to <u>LPS1175 SR2 SR5</u>
- Special lightweight systems allow use in upstairs locations
- Different systems available to suit different risks and budgets
- Optional ballistic protection certified to ENI522/23 FB2 FB6
- Optional fire protection up to 4 hours
- Can be used for storage of source materials as required by the Environment Agency

Panel Model	Panel Thickness	Weight p/m²	Max Ceiling Span*	Fire Rating Integrity / Insulation
SR2	100	40kg	5500	144min / 30min
SR3	100	45kg	5500	144min / 30min
SR4	100	60kg	5500	240min / 90min
SR5	100	95kg	3500	84min / 84min
FB6	146	135kg	Project specific	240min / 90min

<sup>\*</sup>Without supports














BALLISTIC

# Cerberus Strongrooms, Vaults and Doors

- Independently tested and certified to ENII43-I Grades I I3
- Grades 6 13 have been tested and certified to EX, providing additional protection against explosives
- Grades 8 13 have been tested and certified to CD, providing special protection against core drills
- Designed to suit your size and security requirements
- Panels can be provided in lengths of up to 3600mm and can be fitted with cable and ventilation holes if required
- Mounting plates for seismic detectors can be added to your vault
- Steel cladding for the exterior is available on request
- Burton Safes offer a full consultation, design and building service. Upon completion the room is inspected and registered with VDS
- All Cerberus doors come with 2 locks as standard and a third can be ordered on request. The locks are located on the outside only
- Cerberus doors can be supplied with key, mechanical combination or electronic locks
- Electronic locks can offer redundant systems, dual user, time delay, time lock, duress alarms, audit trails, one time codes, remote programming and tiered access rights
- $\bullet$  All doors can only open outwards and can open  $180\,^\circ$
- An emergency door can be intergrated into the main vault door or installed as a seperate door\*
- A day gate can be fitted to the main vault door on request and comes with a single key lock and a second key or electric strike
- Exit handles and hydraulic closers can be added on request

\*Integrated door in door only available on Grades I-3













Vault Model	Grade (EN1143-1)	Wall Thickness	Weight p/m²	Standard Door Aperture	Weight of Standard Door
Cerberus I	I	27	100kg	1960 x 910	790kg
Cerberus 2	2	27	I I 0kg	1960 x 910	795kg
Cerberus 3	3	70	210kg	1960 x 910	823kg
Cerberus 6	6	70	225kg	1960 x 910	900kg
Cerberus 8	8	125	390kg	1960 x 910	1410kg
Cerberus 10	10	195	600kg	1960 x 910	2000kg
Cerberus 13	12	415	1215kg	1960 x 920	4300kg























### **Avertic Armour**

Avertic Armour is a highly advanced, state-of-the-art security panel providing ultra-light and effective protection against a range of power tools. It's unique properties allow it to be used across many security solutions such as cash-in-transit vehicles, panic room construction, military out buildings, secure room dividers, roller shutters and many more.










#### **Features**

- Designed to withstand attacks from drills, chainsaws, reciprocating saws, concrete cutters and grinders
- Increase the security of armoured vehicles, security walls, security doors, saferooms, safes, rollershutter and many more security solutions
- Can be used in domestic or commercial properties
- Panels can be cut to any size or shape to meet your requirements
- Space saving solutions as panels are only 5-10mm thick
- Minimal weight increase with panels at just 1 1.5kg/pm<sup>2</sup>
- Easy to apply, and install
- Can be installed as part of manufacture or as a retro fit solution
- 4 different security levels to suit your security needs

#### Example of secure room wall contruction



The Avertic Armour Panel is available in 4 different security levels:

Anti-Drill Contains 8 layers of protective material and provides 18V drill protection

Power Contains 6 layers of protective material and 2 layers of the anti-cut material. It can provide protection against a concrete cutter,

chainsaw and 800w grinder

**Power+** Contains 4 layers of protective material and 4 layers of the anti-cut material. This product protects against a 1100W grinder,

reciprocating saw, concrete cutter and chainsaws

Extreme The most secure level of this product, contains 2 layers of

protective material and 6 layers of the anti-cut material. This level protects against a 2300W grinder, reciprocating saw, concrete

cutter and chainsaws

### Shanghai Safe Deposit Boxes



#### **Features**


- A range of low cost safe deposit boxes
- Ideal for use in banks, safe deposit centres or hotels
- Stainless steel facia
- Dual key locking as standard
- 6 different door sizes
- 3 standard depths 610/510/410
- Optional pull out shelves
- Metal inner box as standard with all sizes\*
- Full design and consultancy provided by Burton Safes
- •except SSDBB60

Box Size	Internal dimensions
SSDBB 60	42 x 120 x 540/440/340
SSDBB 42	65 x 120 x 540/440/340
SSDBB 24	$115 \times 120 \times 540/440/340$
SSDBB 21	65 x 250 x 540/440/340
SSDBB 12	$115 \times 250 \times 540/440/340$
SSDBB 6	$250 \times 250 \times 540/440/340$











### Vienna Safe Deposit Boxes



#### **Features**


- A range of high quality safe deposit boxes with high security locks and advanced software options
- Ideal for use in banks and safe deposit centres
- 6mm steel door
- Stainless steel facia
- Choice of dual key or key and electronic locking system
- Electronic system offers increased security through permanent monitoring of the door status. Unauthorised entry and tampering will trigger alarms
- Electronic system offers the option of a 'self service system'. Reducing running costs for banks and safe deposit centres
- Vienna Safe Service 6.0 offers the most advanced safe deposit management system on the market - control multiple centres, control day gates and interlocks, monitor box status, record client accesses, set up billing functions and run invoicing
- Key locking systems offer a choice of security levels and lock types to suit different budgets
- Plastic inner cassettes as standard with most box sizes

Box Size	Internal dimensions
1	48.5 x 265 x 413
2	98.5 x 265 x 413
3	$148.5 \times 265 \times 413$
4	198.5 x 265 x 413
5	248.5 x 265 x 413
9	448.5 x 265 x 413
10	498.5 x 265 x 413
9W	448.5 x 575 x 413
10W	498.5 x 575 x 413






Industry leading software system





### Vaduz Safe Deposit Box System





#### **Features**

- 24/7 Self service safe deposit system
- Solid steel lockers
- Lockers come in 4 sizes; 50-230mm (H) x 240mm (W) x 360mm (D)
- Vaults certified to **ENII43-I**
- Dispense lockers through the wall at ground floor level or via a tower dispense system
- Space saving two lockers can be stacked one behind the other
- Planning, design, installation and maintenance provided by Burton Safes
- Software for administration and control of safe deposit system
- Spare parts guarantee for 10 years

#### Locking Options:






State-of-the-art safe deposit system increasingly used by banks to reduce running costs and offer customers increased access to their deposit boxes. No staff are required for operation of the system and the vault always remains secure. Full design and consultancy is provided by Burton Safes, contact us for more information.



Tower dispense system



### **Zurich Safe Deposit System**







#### **Features**

- Upgrades key locking safe deposit systems to a self service electronic operation
- Reduces staffing costs
- Increase security levels with permanent monitoring of the box status
- Alarms can be generated in the event of unauthorised access
- Simple and quick upgrade with minimal down time
- No need to open boxes to fit the system
- Wireless comminication avoids damaging/disrupting the existing room
- Cheaper and less disruptive than changing your boxes to new electronic models

#### Locking Options:





### **Bespoke Security Solutions**

Burton Safes can cater to any need.

We can provide you with any physical security solution you may need from bespoke commercial safes, interlocking pods, security doors and grilles.

Examples of what we can provide are:

- Intelligent key cabinets
- Data rooms
- Hostile vehicle mitigation
- Specialist access control and locking solutions

For bank and retail equipment:

- Cash trolleys
- Security vision windows with audio
- Night pay system
- ATM protection
- Pass through trays and audio units
- Window film

For secure enclosures we can provide high security interlocking pods for controlling the flow of people through space, Transporta (high security container) and Ares (mobile ballistic walling system).





Call us to discuss your unique needs!

### Safe Lock Terminology

Users – Unique individual's code that can be controlled by a "Master" or "Manager".

**Dual user** - If Dual user mode is set in your safe it will require two different user codes to open the lock. This means two people will need to be with the safe to open it – This helps prevent internal fraud.

**Courier code** - Courier codes are generally used by CViT (cash and valuables in transit) to bypass any time delay settings within the safe and sometimes the time windows.

Duress code – A duress code is a covert distress signal. When you input the code, a silent alarm will be sent to the Police or a monitoring station in the event that you are forced to open your safe. The Duress code can still open the lock to the safe.

One-time code - OTC (one-time code) is a code that can be created and passed to a user to open the safe – once they have used that code it will become invalid. These are often used by CViT (cash and valuables in transit) operators.

Time Delay – A time-delay is a setting that delays the unlocking of the lock by a user-definable period. After entering your code you wait the set time before you enter your code a second time to open the safe.

Time Lock – Weekly programmable timer installed inside, which allows the user to set time intervals that control when the safe opens – i.e. you can open the safe in-between 9am and 5pm but not outside of those hours even if you know the code.

Audit Trail - This logs every event within the safe – Which user opened and closed the safe, at what time. It will never show the code, just the user number i.e. User 2 opened the safe at 14:30pm 30/08/2018.

**Biometric Option** – Finger print controlled security lock. These locks come with the option of finger print access, code access or both.

**Swing Bolt** - Once a correct code is entered, the lock is released, allowing the boltwork to move when turning the handle.

**Dead Bolt** - Once a correct code is entered, the user has to manually move the locking bolt, usually by turning the keypad.

**Motorised Bolt** - Once a correct code is entered, the lock moves the locking bolt via an electronic motor.

#### **Standards**

**EN 14450** - This is a burglary attack test standard for safe cabinets. It largely covers smaller, home safes and cabinets for commercial applications. Safes are attacked using a set list of tools, and scores are given depending on the time taken to make hand holes and larger full size access holes

EN1143-I - This is a burglary attack test standard for Safes, ATMs and strong rooms. It is the main standard used throughout Europe to assess the security level of safes and it is much more demanding than EN14450. Safes are attacked using a set list of tools, and scores are given depending on the time taken to make hand holes and larger full size access holes. There is a large range of security grades within the standard from 0-XIII. There are also optional tests to prove resistance against core drilling CD and explosives EX

EN1143-2 - This is a very similar standard to EN1143-1 but it is specifically designed for deposit safes and systems. In addition to the normal tests of EN1143-1 there are additional tests to assess the ability to fish items out of the deposit systems. If you are purchasing a certified deposit safe, make sure that it is certified to EN1143-2 and not EN1143-1

**EN1047** -This is a very rigorous fire test for safes and data rooms. Safes and subjected to very high external temperatures inside a furnace of approximately 900°C. Internal temperatures are closely monitored with numerous thermo-couples. There are three levels of protection given:

- P Paper documents that will lose data above 170°C
- D Computer media that will lose data above  $70\,^{\circ}\text{C}$  and humidity above 85%
- DIS Computer media that will lose data above 50°C and 85% humidity.

This particularly tough standard also includes a drop test to simulate a safe falling through a collapsed floor, and a soak out period, where the safe must naturally cool down as it would in a real life situation

**EN15659** - This is a similar standard to EN1047 but it does not include the drop test or the soak out period. It is therefore not quite as rigorous. It also only covers protection for paper, not computer data

NT FIRE 017 - A Nordic fire safe standard. Similar to, but not quite as rigorous as EN15659

EN1300 - This is a standard for safe locks. The locks are subjected to various durability and manipulation tests and given one of four grades from A - D. All safes and strongrooms certified to EN14450 and EN1143-1/2 must have a certified lock that reflects the grade of the safe

- EN14450 and EN1143-1/2 Grade 0-II must have 1 lock certified to Class A
- EN I 143-1/2 Grade III must have I lock certified to Class B
- EN I 143-1/2 Grade IV and V must have 2 locks certified to Class B
- EN I 143-1/2 Grade VI to X must have 2 locks certified to Class C
- Strongrooms certified to EN1143-1 Grade XI and XII must have 3 locks certified to Class C or 2 locks certified to Class D
- Strongrooms certified to EN1143-1 Grade XIII must have 2 locks certified to Class D

**Sold Secure** - A burglary attack test covering various products including home safes, cabinets and key safes. They have three ratings of Gold, Silver and Bronze

LPSI175 - This is a British burglary attack test standard, designed and run by LPCB. It covers a number of different physical security products, including doors, windows, grilles, fences, walling systems, key safes and safes. It has 8 Grades from SRI - SR8

LPS1175 (Issue 8) - From 2019 LPCB designed a new issue of the LPS certification. Requirements for testing and how products are graded has changed from previous issues of the certification. The tool kit used for the test is identified by a letter A-H and the test time in minutes is identified by the number. For example our Keyguard XL is certified to Issue 8 A3, meaning the product can withstand an attack from tool kit A for 3 minutes

EN1627 - This is a European burglary attack test standard for security doors. There are 6 security levels from RC1 - RC6

EN1063 - This is a bullet resistance test for glass. There are 7 levels from BRI - BR7

**ENI522** - This is a bullet resistance test for doors and systems. There are 7 levels from FBI - FB7. All parts of the door are tested, including door furniture, frames and joints

**BS7558** - This is a British standard for gun cabinets. The required threshold to pass this test is lower than EN I 4450 or EN I 143-I















### **Test and Certification Bodies**

ECBS - A world renowned German accreditation body, certifying safes, strongrooms, ATMs and security doors. They are accredited to ISO-IEC 17065

ICIM - This is an Italian certification body

**LPCB** - This is the Physical Security test and certification arm of BRE. BRE is a much larger, British testing and certification body with a global reputation.

**SBSC** - This is a Swedish certification body.

**Secured by Design** - This is a UK Police run initiative offering certification to multiple security products and also wider schemes

Sold Secure - This is a British test and certification body, owned and run by the Master Locksmiths Association

VDS - Leading German testing and certification facility

### **Trade Organisations**

AiS - The Association of Insurance Surveyors is a UK body of risk control and reduction experts, who work within the insurance market

**ESSA** - This is a global trade organisation for Safe, Strongroom, ATM and Security Door manufacturers and distributors

**Eurosafe UK** - Eurosafe UK is the UK trade body for the safe industry. They promote good standards, certification and ethical practices

Eurosafe - This is the European parent organisation of Eurosafe UK

**MLA** - Master Locksmiths Association is the main trade body in the UK for locksmiths

**Secured by Design** - This is a Police accreditation scheme for security product manufacturers and distributors











#### Reactive Safe Engineer and Locksmith Service

Burton Safes believe in offering exceptional service - our business is built on delivering it!

Every customer has individual service needs; the internal service team design and deliver bespoke service packages to suit your individual requirements for both safe and locksmith engineering, all of which is supported by a dedicated Account Manager.

The service team is available 24/7 - 365 days a year. Skilled and experienced engineers are located across the UK and ROI, delivering market leading response and first time fix rates - providing you with reduced downtime and cost reductions.





#### Burton Safes service agreements cover all types of safe and lock, some of the features include:

- Supply and installation of physical security products
- Emergency reactive response
- Emergency safe and door opening
- Lock upgrades and re-programming
- Preventative maintenance
- Safe removal and disposal
- Cover for all brands of locks and safe
- Dedicated Account Manager
- A single point of contact for all issues
- Free access to our in house technical helpdesk
- Average response times of under 3 hours
- Average time on site of less than I hour
- Average first time fix rate of 97%
- European cover also available



#### **Delivery and Installation Services**

Our standard delivery is a 2-3 day service and we have a range of delivery and installation options to upgrade your order and suit your needs.

Weekday Deliveries

Next Day\*

Next Day by Noon\*

Next Day by 10:30am (less than 70kg)\*

Evening 6pm-9pm

**Delivery and Position (Weekdays)** 

Next Day\* AM/PM Slot

2 Hour Window

\*order by 2pm the preceding day

**Weekend Deliveries** 

Saturday

Saturday by Noon (less than 30kg)

Saturday by 10:30am (less than 30kg)

Sunday (less than 30kg)

Sunday by Noon (less than 30kg)

**Highlands & Islands Deliveries** 

Republic of Ireland Deliveries





Weekday Installations

Express (2-3 days)

Pre-9am

AM/PM Slot

Evening

Weekend Installations

Saturday

Sunday

**Installation Special Services** 

Highlands and Islands Unmarked Vehicle Service 1st Floor/Basement via Stairs\* 2nd Floor/Basement via Stairs\* Hiab, Crane or Specialist Vehicle\*

\*Site Survey Dependent

### What we do...

**Burton Safes** specialises in the supply, distribution, installation and servicing of **Physical Security Solutions**.

#### Our Goals

Be the best

Generate sustainable growth

Create a long term legacy

Create a respected and desirable brand

Generate profits for our shareholders and our staff

# How we will achieve our goals

Listen to our customers and to the wider market

Deliver a first-rate customer service

Focus on our product quality

Deliver solutions not just products

Seek niche and profitable markets

Create a diverse and first rate supplier network

Constantly assess and challange our costs, our actions and our performance

Create a stable financial foundation

#### Our Values

Promote and support the use of independent product testing and certifications

Promote good practice and industry standards

Be honest, fair and respectful in our dealings with customers, suppliers and staff

Help our local community and environment prosper

Be proud of our Yorkshire heritage whilst maintaining an open, global outlook

Create an enjoyable working environment for our staff, with a family atmosphere and ethos





# ...because we are the sure defence

